

REFERENCES

- [1] Sergei A. Abramov. The rational component of the solution of a first order linear recurrence relation with rational right hand side. *Z. Vychisl. Mat. i Mat. Fiz.*, 15(4):1035–1039, 1090, 1975.
- [2] Sergei A. Abramov. Indefinite sums of rational functions. In *Proceedings of ISSAC '95*, pages 303–308, 1995.
- [3] Sergei A. Abramov. When does Zeilberger's algorithm succeed? *Adv. in Appl. Math.*, 30(3):424–441, 2003.
- [4] Sergei A. Abramov and Ha Quang Le. A criterion for the applicability of Zeilberger's algorithm to rational functions. *Discrete Math.*, 259(1-3):1–17, 2002.
- [5] Sergei A. Abramov and Marko Petkovšek. Minimal decomposition of indefinite hypergeometric sums. In *Proceedings of ISSAC '01*, pages 7–14, 2001.
- [6] Sergei A. Abramov and Marko Petkovšek. Rational normal forms and minimal decompositions of hypergeometric terms. *J. Symbolic Comput.*, 33(5):521–543, 2002.
- [7] Sergei A. Abramov and Marko Petkovšek. On the structure of multivariate hypergeometric terms. *Adv. Appl. Math.*, 29(3):386–411, 2002.
- [8] Milton Abramowitz and Irene A. Stegun. *Handbook of mathematical functions with formulas, graphs, and mathematical tables*, volume 55 of *National Bureau of Standards Applied Mathematics Series*. For sale by the Superintendent of Documents, U.S. Government Printing Office, Washington, D.C., 1964.
- [9] Gert Almkvist and Doron Zeilberger. The method of differentiating under the integral sign. *J. Symbolic Comput.*, 11(6):571–591, 1990.
- [10] Moa Apagodu and Doron Zeilberger. Multi-variable Zeilberger and Almkvist-Zeilberger algorithms and the sharpening of Wilf-Zeilberger theory. *Advances in Applied Mathematics*, 37(2):139–152, 2006.
- [11] Alin Bostan, Shaoshi Chen, Frédéric Chyzak, and Ziming Li. Complexity of creative telescoping for bivariate rational functions. In *Proceedings of ISSAC '10*, pages 203–210, 2010.
- [12] Alin Bostan, Shaoshi Chen, Frédéric Chyzak, Ziming Li, and Guoce Xin. Hermite reduction and creative telescoping for hyperexponential functions. In *Proceedings of ISSAC '13*, pages 77–84, 2013.
- [13] Alin Bostan, Frédéric Chyzak, Pierre Lairez, and Bruno Salvy. Generalized Hermite reduction, creative telescoping and definite integration of D-finite functions. In *Proceedings of ISSAC '18*, pages 95–102, 2018.
- [14] Alin Bostan, Louis Dumont, and Bruno Salvy. Efficient algorithms for mixed creative telescoping. In *Proceedings of ISSAC '16*, pages 127–134, 2016.
- [15] Alin Bostan, Pierre Lairez, and Bruno Salvy. Creative telescoping for rational functions using the Griffiths-Dwork method. In *Proceedings of ISSAC '13*, pages 93–100, 2013.
- [16] Manuel Bronstein. Integration of elementary functions. *J. Symbolic Comput.*, 9(2):117–173, 1990.
- [17] Manuel Bronstein. *Symbolic Integration I: Transcendental Functions*, volume 1 of *Algorithms and Computation in Mathematics*. Springer-Verlag, Berlin, second edition, 2005.
- [18] Shaoshi Chen, Frédéric Chyzak, Ruyong Feng, Guofeng Fu, and Ziming Li. On the existence of telescopers for mixed hypergeometric terms. *J. Symbolic Comput.*, 68:1–26, 2015.
- [19] Shaoshi Chen, Hao Du, and Ziming Li. Additive decompositions in primitive extensions. In *Proceedings of ISSAC '18*, pages 135–142, 2018.
- [20] Shaoshi Chen, Lixin Du, and Chaochao Zhu. Existence problem of telescopers for rational functions in three variables: the mixed cases. In *this proceeding*. ACM, New York, 2019.
- [21] Shaoshi Chen, Qing-Hu Hou, Hui Huang, George Labahn, and Rong-Hua Wang. Constructing minimal telescopers for rational functions in three discrete variables, 2019. Preprint: arXiv:1904.11614
- [22] Shaoshi Chen, Qing-Hu Hou, George Labahn, and Rong-Hua Wang. Existence problem of telescopers: beyond the bivariate case. In *Proceedings of ISSAC '16*, pages 167–174, 2016.
- [23] Shaoshi Chen, Hui Huang, Manuel Kauers, and Ziming Li. A modified Abramov-Petkovšek reduction and creative telescoping for hypergeometric terms. In *Proceedings of ISSAC '15*, pages 117–124, 2015.
- [24] Shaoshi Chen and Manuel Kauers. Order-degree curves for hypergeometric creative telescoping. In *Proceedings of ISSAC '12*, pages 122–129, 2012.
- [25] Shaoshi Chen and Manuel Kauers. Trading order for degree in creative telescoping. *J. Symbolic Computat.*, 47(8):968–995, 2012.
- [26] Shaoshi Chen, Manuel Kauers, and Christoph Koutschan. A generalized Apagodu-Zeilberger algorithm. In *Proceedings of ISSAC '14*, pages 107–114, 2014.
- [27] Shaoshi Chen, Manuel Kauers, and Christoph Koutschan. Reduction-based creative telescoping for algebraic functions. In *Proceedings of ISSAC '16*, pages 175–182, 2016.
- [28] Shaoshi Chen, Manuel Kauers, and Michael F. Singer. Telescopers for rational and algebraic functions via residues. In *Proceedings of ISSAC '12*, pages 130–137, 2012.
- [29] Shaoshi Chen and Christoph Koutschan. Proof of the Wilf-Zeilberger conjecture for mixed hypergeometric terms. *J. Symbolic Comput.*, 93:133–147, 2019.
- [30] Shaoshi Chen and Michael F. Singer. Residues and telescopers for bivariate rational functions. *Adv. Appl. Math.*, 49(2):111–133, August 2012.
- [31] Shaoshi Chen, Mark van Hoeij, Manuel Kauers, and Christoph Koutschan. Reduction-based creative telescoping for fuchsian D-finite functions. *J. Symbolic Comput.*, 85:108–127, 2018.
- [32] William Y. C. Chen, Qing-Hu Hou, and Yan-Ping Mu. Applicability of the q -analogue of Zeilberger's algorithm. *J. Symbolic Comput.*, 39(2):155–170, 2005.
- [33] William Y. C. Chen and Lisa H. Sun. Extended Zeilberger's algorithm for identities on Bernoulli and Euler polynomials. *J. Number Theory*, 129(9):2111–2132, 2009.
- [34] Frédéric Chyzak. An extension of Zeilberger's fast algorithm to general holonomic functions. *Discrete Mathematics*, 217:115–134, 2000.
- [35] Frédéric Chyzak. *The ABC of Creative Telescoping — Algorithms, Bounds, Complexity*. Habilitation à diriger des recherches, Ecole Polytechnique X, April 2014.
- [36] Frédéric Chyzak, Manuel Kauers, and Bruno Salvy. A non-holonomic systems approach to special function identities. In *Proceedings of ISSAC '09*, pages 111–118, 2009.
- [37] Frédéric Chyzak and Bruno Salvy. Non-commutative elimination in Ore algebras proves multivariate identities. *J. Symbolic Comput.*, 26:187–227, 1998.
- [38] James Harold Davenport. The Risch differential equation problem. *SIAM J. Comput.*, 15(4):903–918, 1986.
- [39] Hao Du, Jing Guo, Hui Huang, and Ziming Li. Reduction-based creative telescoping for q -hypergeometric terms. In preparation, 2019.
- [40] Hao Du, Hui Huang, and Ziming Li. A q -analogue of the modified Abramov-Petkovšek reduction. In *Advances in computer algebra*, volume 226 of *Springer Proc. Math. Stat.*, pages 105–129. Springer, Cham, 2018.
- [41] Sister Mary Celine Fasenmyer. A note on pure recurrence relations. *The American Mathematical Monthly*, 56:14–17, 1949.
- [42] Keith O. Geddes, Ha Quang Le, and Ziming Li. Differential rational normal forms and a reduction algorithm for hyperexponential functions. In *Proceedings of ISSAC '04*, pages 183–190, 2004.
- [43] Charles Hermite. Sur l'intégration des fractions rationnelles. *Ann. Sci. École Norm. Sup. (2)*, 1:215–218, 1872.
- [44] Qing-Hu Hou. k -free recurrences of double hypergeometric terms. *Adv. in Appl. Math.*, 32(3):468–484, 2004.
- [45] Hui Huang. New bounds for creative telescoping. In *Proceedings of ISSAC '16*, pages 279–286, 2016.
- [46] Manuel Kauers. Summation algorithms for Stirling number identities. *J. Symbolic Comput.*, 42(11):948–970, 2007.
- [47] Christoph Koutschan. A fast approach to creative telescoping. *Mathematics in Computer Science*, 4(2–3):259–266, 2010.
- [48] Christoph Koutschan. *Creative Telescoping for Holonomic Functions*, pages 171–194. Springer Vienna, Vienna, 2013.
- [49] Pierre Lairez. Computing periods of rational integrals. *Math. Comp.*, 85(300):1719–1752, 2016.
- [50] Mohamad Mohammed and Doron Zeilberger. Sharp upper bounds for the orders of the recurrences outputted by the Zeilberger and q -Zeilberger algorithms. *Journal of Symbolic Computation*, 39(2):201–207, 2005.
- [51] Mikhail Vasil'evich Ostrogradskii. De l'intégration des fractions rationnelles. *Bull. de la classe physico-mathématique de l'Acad. Impériale des Sciences de Saint-Petersbourg*, 4:145–167, 286–300, 1845.
- [52] Peter Paule. Greatest factorial factorization and symbolic summation. *J. Symbolic Comput.*, 20(3):235–268, 1995.
- [53] Garth Hampton Payne. *Multivariate Hypergeometric Terms*. PhD thesis, Pennsylvania State University, Pennsylvania, USA, 1997.
- [54] Marko Petkovšek, Herbert Wilf, and Doron Zeilberger. $A = B$. AK Peters, Ltd., 1997.
- [55] A. P. Prudnikov, Yu. A. Brychkov, and O. I. Marichev. *Integrals and Series. Vol. 2*. Gordon & Breach Science Publishers, New York, 1986. Special functions, Translated from the Russian by N. M. Queen.
- [56] Clemens G. Raab. Symbolic computation of parameter integrals. In *Proceedings of ISSAC '16*, pages 13–15, 2016.
- [57] Robert H. Risch. The problem of integration in finite terms. *Trans. Amer. Math. Soc.*, 139:167–189, 1969.
- [58] Michael Rothstein. *Aspects of Symbolic Integration and Simplification of Exponential and Primitive Functions*. Phd thesis, University of Wisconsin, Madison, 1976.
- [59] Bruno Salvy. Linear differential equations as a data structure. *Foundations of Computational Mathematics*, Jan 2019. <https://doi.org/10.1007/s10208-018-09411-x>
- [60] Carsten Schneider. Simplifying multiple sums in difference fields. In Johannes Blümlein and Carsten Schneider, editors, *Computer Algebra in Quantum Field Theory: Integration, Summation and Special Functions*, Texts and Monographs in Symbolic Computation, pages 325–360. Springer, 2013.
- [61] Nobuki Takayama. An algorithm of constructing the integral of a module. In *Proceedings of ISSAC '90*, pages 206–211, 1990.
- [62] Nobuki Takayama. Gröbner basis, integration and transcendental functions. In *Proceedings of ISSAC '90*, pages 152–156, 1990.

- [63] Barry M. Trager. *On the Integration of Algebraic Functions*. Phd thesis, MIT, Computer Science, 1984.
- [64] Joris Van Der Hoeven. Constructing reductions for creative telescoping. December 2017. Preprint: hal-01435877v3.
- [65] Joris Van Der Hoeven. Creative telescoping using reductions. June 2018. Preprint: hal-01773137v2.
- [66] Kurt Wegschaider. Computer generated proofs of binomial multi-sum identities. Master's thesis, RISC-Linz, May 1997.
- [67] Herbert S. Wilf and Doron Zeilberger. An algorithmic proof theory for hypergeometric (ordinary and “ q ”) multisum/integral identities. *Invent. Math.*, 108(3):575–633, 1992.
- [68] Doron Zeilberger. A holonomic systems approach to special functions identities. *J. Comput. Appl. Math.*, 32:321–368, 1990.
- [69] Doron Zeilberger. The method of creative telescoping. *J. Symbolic Comput.*, 11(3):195–204, 1991.